

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**






FIG. 1



24




FIG. 2




FIG.3




FIG.4




FIG. 5

GUARD1 PLUS CLIENT/
FACILITY/GROUP/LOCATION
HIERARCHY (400-416)

CONT'D FROM FIG.5





FIG.5A



GUARD1 PLUS HARDWARE DEVICES HIERARCHY (418-424)

FIG.6

SETUP SOFTWARE AND HARDWARE (120-144)




FIG.7

MAKING A TOUR (146-166)




FIG.8




FIG.9

DOWNLOADING (CONTINUED)






FIG. 9A



PRINT REPORTS, BASIC & CUSTOM (208-232)

FIG.10

FROM FIG.10



BATCH REPORTS (234-240)

FIG.11




FIG.12

ATTENDANT (266-290)





FIG.13



MODULAR CONCEPT (292-306)



306

ACTIVE AND FULLY
FUNCTIONAL FOR
A TRIAL PERIOD
AFTER
INSTALLATION.
CAN BE
PERMANENTLY
ACTIVATED BY
CONTACTING
PROVIDER.

FIG.14

RULES (308-328)




FIG.15